

FIT

Mountain &
City/Trekking

E-STREAM EVO AM FIT 29

MOUNTAIN | FIT

frozen dark grey matt, black matt
747-35241

555 Wh / 740 Wh / 925 Wh



HERREN



MONKEY LINK ready
Easily connects accessories with your bike.



VIDEO ON MEMBERS AVAILABLE


| | | | | | |
|-------------------|----------------------|--|-----------------------|------------------|--|
| Antrieb | Drivetrain | FIT GX Ultimate 90 Nm | Kurbelgarnitur | Crankset | Samox |
| Ladegerät | Charger | 6A | Kassette | Cassette | Shimano SLX CS-M7100-12, 10-51T |
| Ladedauer | Charging time | 555 Wh: approx. 3,3 hrs. to 100% 740 Wh: approx. 4,4 hrs. to 100% 925 Wh: approx. 5,5 hrs. to 100% | Bremsen | Brakes | Shimano Deore XT BR-M8120 hydraulic disc, 203/203 Center Lock |
| Display | Display | FIT Compact 2 Zoll | Lenker | Handlebar | iBar CCS, Carbon |
| Rahmen | Frame | Aluminium 6061 | Vorbau | Stem | iBar CCS, Carbon |
| Rahmenhöhe | Framesize | 41 cm / 44 cm / 48 cm / 54 cm | Sattelstütze | Seatpost | Limotec Alpha 1 Light, AI-ZL dropper post |
| Gabel | Fork | RockShox ZEB Select Boost 1.8 tapered, 150 mm | Sattel | Saddle | BULLS MTB |
| Dämpfer | Shock | RockShox Super Deluxe Select+ RT, 150 mm | Laufnradatz | Wheelset | Shimano WH-HT620 wheel set |
| Schaltwerk | Gearshift | Shimano Deore XT RD-M8100 Shadow Plus | Bereifung | Tires | Schwalbe Magic Mary Evo Super Gravity TLE 62-622, 29 x 2.40 / Hans Dampf Evo Super Trail TLE 65-622, 29 x 2.60 |
| Gänge | Gear | 12-speed | Pedale | Pedal | BULLS MTB |

TOURER EVO 5R FIT

black chrome, black matt
747-20045

CITY/TREKKING | FIT

555 Wh / 740 Wh / 925 Wh



black chrome, black matt
747-19645



VIDEO
ON MEMBERS
AVAILABLE



| | | |
|-----------------------|---------------|--|
| Antrieb | Drivetrain | FIT GX Power 60 Nm ¹ |
| Ladegerät | Charger | 6A |
| Ladedauer | Charging time | 555 Wh: approx. 3,3 hrs. to 100% 740 Wh: approx. 4,4 hrs. to 100% 925 Wh: approx. 5,5 hrs. to 100% |
| Display | Display | FIT Comfort 3,5 Zoll |
| Rahmen | Frame | aluminium |
| Rahmenhöhe | Framesize | ♂ 45 cm / 50 cm / 55 cm / 60 cm; W 45 cm / 50 cm / 55 cm |
| Gabel | Fork | SR Suntour Mobie-25-1.5 LOR Air 15LH, 63 mm |
| Schaltwerk | Gearshift | Shimano Nexus Inter 5 Nabenschaltung mit Rücktritt |
| Gänge | Gear | 5-speed |
| Kurbelgarnitur | Crankset | Samox |

| | | |
|---------------------|-----------|--|
| Bremsen | Brakes | Shimano BR-MT200 hydraulic disc, 180/160 Center Lock |
| Lenker | Handlebar | aluminium |
| Vorbau | Stem | aluminium, adjustable |
| Sattelstütze | Seatpost | SR Suntour NCX, parallelogram suspension seat post |
| Sattel | Saddle | Comodoro |
| Naben | Hubs | Shimano HB-MT400 / Nexus Inter 5E |
| Felgen | Rims | Ryde Taurus 2000 |
| Bereifung | Tires | Schwalbe Marathon E-Plus Performance SmartGuard, 55-622, 29 x 2.15 |
| Pedale | Pedal | Wellgo C-211 mit Sandpapier |
| Scheinwerfer | Headlight | Fuxon FF-100 EB, 100 LUX |
| Rücklicht | Taillight | Fuxon R-Glow |
| Gepäckträger | Rack | i-RACK II system carrier with MonkeyLoad ready |

TOURER EVO 10 FIT

CITY/TREKKING | FIT

metallic off white, black matt
747-20945

555 Wh / 740 Wh / 925 Wh



black chrome, black matt
747-20445



metallic off white, black matt
747-21345



| | | |
|-----------------------|----------------------|--|
| Antrieb | Drivetrain | FIT GX Ultimate 90 Nm |
| Ladegerät | Charger | 6A |
| Ladedauer | Charging time | 555 Wh: approx. 3,3 hrs. to 100% 740 Wh: approx. 4,4 hrs. to 100% 925 Wh: approx. 5,5 hrs. to 100% |
| Display | Display | FIT Comfort 3,5 Zoll |
| Rahmen | Frame | aluminium |
| Rahmenhöhe | Framesize | ♂ 45 cm / 50 cm / 55 cm / 60 cm; ♀ 45 cm / 50 cm / 55 cm; W 45 cm / 50 cm / 55 cm |
| Gabel | Fork | SR Suntour Mobie-25-1.5 LOR Air 15LH, 63 mm |
| Schaltwerk | Gearshift | Shimano Deore RD-M5120-SGS Shadow Plus |
| Gänge | Gear | 10-speed |
| Kurbelgarnitur | Crankset | Samox |
| Kassette | Cassette | Shimano Deore CS-M4100-10, 11-46T |

| | | |
|---------------------|------------------|--|
| Bremsen | Brakes | Shimano BR-MT200 hydraulic disc, 180/160 Center Lock |
| Lenker | Handlebar | aluminium |
| Vorbau | Stem | aluminium, adjustable |
| Sattelstütze | Seatpost | SR Suntour NCX, parallelogram suspension seat post |
| Sattel | Saddle | Comodoro |
| Naben | Hubs | Shimano HB-MT400 / FH-M3050QR |
| Felgen | Rims | Ryde Taurus 2000 |
| Bereifung | Tires | Schwalbe Marathon E-Plus Performance SmartGuard, 55-622, 29 x 2.15 |
| Pedale | Pedal | Wellgo C-211 mit Sandpapier |
| Scheinwerfer | Headlight | Fuxon FF-100 EB, 100 LUX |
| Rücklicht | Taillight | Fuxon R-Glow |
| Gepäckträger | Rack | i-RACK II system carrier with MonkeyLoad ready |